



# PRODUCT INFORMATION

THE INTERNATIONAL PROGRAM TO SUCCESS FOR THE PIGEON SPORT

Laboratory and clinic for specialist guidance on racing pigeons with more than 40 years of experience, led by Dr. H.J.M. de Weerd, veterinary surgeon for racing pigeons.



# Index

BELGICA DE WEERD & VETERINARY CLINICS —	
DELOTER DE WEERD & VETERINARY CEINICS	
De Weerd family	4
Dierenkliniek (veterinary clinic) Breda & Veterinary clinics UK / China	6
PRODUCT INFORMATION —	
TRODUCT TRIORMATION	
List of Belgica De Weerd products	
PROGRAMS & IMPORTANT INFORMATION -	
Breeding program	36
Racing program	38
Moulting and winter program	40

# PLEASE NOTE:

This is a worldwide brochure. The products currently authorised in the U.K. are shown in this brochure. Please note all other products manufactured by Belgica De Weerd have no current U.K. authorisation.



# Preface

With this international program to success I expect to enable all fanciers to become acquainted with the extensive range of possibilities with our products.

Daily we receive many requests from all over the world for detailed advice on all kinds of common problems related to the sport.

With this program, we provide you with as much veterinary-technical information with which you can achieve even better performance.

I am confident that our products will be of great importance by bringing your pigeons in excel-



lent health and condition which are essential for good breeding, achieving top performances during the races and a perfect moult.

Mod.



DR. HENK DE WEERD
veterinary surgeon for homing pigeons





# Class Pigeons, top fanciers and Belgica De Weerd!

Essential conditions for achieving top results include:

- White noses and pink skin
- Pink throats without slime
- Good plumage and flat tight feathers around the head
- Dry droppings with down feathers



# De Weerd family

### Henk de Weerd

Since 1972 Dr. Henk de Weerd has specialised himself in the medical and sports technical guidance of racing pigeons. To answer the many questions about the sport, particularly with regard to modern and responsible medical supervision, a team of specialists is employed in his clinic in Breda.

Many famous fanciers from home and abroad privately seek consultations with veterinary surgeon de Weerd at his clinic about a vast amount of pigeon related subjects including therapies and the prevention of diseases also the techniques in the sport, loft construction and design plus advice on feeding and breeding programs.

Veterinary technical advice to get pigeons in top condition also form an important part of loft practice management.

Figures reveal that over 100,000 fanciers worldwide rely on the expertise of Pigeon Clinic Breda

As a young boy Dr. De Weerd visited many top lofts in Belgium and Holland with his famous father Piet de Weerd. Subsequently they visited Germany, UK, Spain, Portugal, U.S.A., Canada, Mexico, Thailand, Taiwan, China, Japan, etc. In most cases, these trips were attended by the lectures given by Piet and Dr. Henk de Weerd on topics such as selection and the most common pigeon diseases.

All Belgica De Weerd products are developed after our research in Breda and are produced according to GMP standards. Our veterinary products are registered and licensed in Europe. Only after a long test period by top players, the products were introduced on the market.

Of course, all products are doping free.

Belgica De Weerd products are successfully used in over 40 countries. In the Netherlands more than 70% of the top players use the success program of Belgica De Weerd.

Meanwhile there are also Belgica De Weerd pigeon clinics in Colchester (Essex) and in Beijing, next to the Olympic Stadium!

### Piet de Weerd

During a period of over 60 years, Piet de Weerd achieved worldwide acknowledgement due to his manner in selecting and pairing the best and most valuable pigeons in the world. His name is known in the furthest corners of the globe and many fanciers read his articles and books which are written in his own down-to-earth characteristic manner and have become standard works of the sport.

Fascinating, informative and above all objectively, he let the reader become acquainted with the greats of the international pigeon sport and he tried to share his vision on the conditions that a good pigeon would have to meet to anyone who wanted. He received invitations from all









over the world to share his knowledge with international fanciers during personal visits.

Piet de Weerd traveled dozens of times across the Atlantic to the United States and Mexico, but also South Africa and the Far East were visited several times which makes this eminence grise of the Dutch pigeon sport emerged as the world's best specialist field of selection and breeding.

### Aarden strain

He established conclusive proof of his unequalled mastery directly after World War II during the period that Jan Aarden tried to build up an iron strain for the toughest overnight races and that he had succeeded in his plans was due to Piet de Weerd. The absolute mother of the Aarden strain, the 'Oomen hen' (H45-907764) by Jan Aarden also called the 'Delbar hen', was in fact a gift from Piet de Weerd to Jan Aarden during one of his many visits he made to Aarden in Steenbergen during that period.

The '500' Van Agtmaal descended from her litter sister 45-907765 which was donated by Piet de Weerd to Suus van den Berg in Steenbergen. Several times he brought one or more pigeons which were crossed with the stockbirds present in the lofts Aarden on his advice.

So we may say he is the architect of the Aarden strain. Purchases and pairings of top pigeons which took the name de Weerd in the international pigeon sport at the highest plan, included: the purchase of the 'Wondervoske' from the Janssen Brothers for the combination of Oomens-Tuijn; the pairing of the 'Franck' (44-306686) to 'Heroine' (47-1008650) on the loft of George Fabry in Liège, from which the 'Porthos' and 'Favori' were born, two cocks that gave the name Fabry worldwide recognition. Also the purchase of the 'Piet' (strain Meulemans) which was transferred to Raymund Hermes in Germany was a bullseye and in South Africa, fanciers are to this day talking about the incredible breeding results of the 'Stallion Jan Aarden', a pigeon which was bred by Piet de Weerd.

The inimitable way Piet used a few 'Albert Van Cauwenbergh' pigeons contributed to the deserved glory of this great master in the sport.

The famous 'Didi'-line of Van de Broucke-De Weerd also was the result of many years of selection and inbreeding by Piet de Weerd.

Didi was in 1989 the National Ace pigeon Long Distance in Belgium with an incredibly low coefficient and its descendant 'Kleine Didi' from Etienne Devos was, if possible, even more famous.

Furthermore, the base at Kipp und Söhne consisted of six pigeons from Piet de Weerd. The three National Ace Pigeons Fond (Long Distance) in 2000 from Werner Bölting (D) were all 50% Piet and Henk de Weerd pigeons (Old Cruco and Buffalo-line).



# Dierenkliniek (veterinary clinic) Breda / NL

Van de Reijtstraat 21 | 4814 NE Breda | The Netherlands

T 0031-76-560 06 66 | E info@dierenkliniekbreda.nl | www.dierenkliniekbreda.nl











# Veterinary clinic Colchester / UK

Belgica UK | Unit G5 Seedbed Centre Wyncolls Road | Colchester CO49HT | Essex T 0044-1206-842221 | E belgicauk@btconnect.com



# Veterinary clinic Beijing / China

Pretty Baby Pigeon clinic | Room 602 | unit 4 | No. 122 building

North Street Jinagfuj layuan | Tuofangying chaoyan district | 100016 Beijing

T 0086 - 1370 - 1169719 | E 2q6939@126.com



# B.S.<sup>®</sup> (Better Digestion) – powder

B.S.® is a combination of active substances already successfully used worldwide for many years and has become a household name. B.S.® improves digestion and promotes the moult.

Preventive and curing against protozoal diseases such as coccidiosis, trichomoniasis (canker) and hexamitiasis. Also effective against crop and intestinal infections.

Note: if your pigeons drink little (autumn, winter) it is better to administer B.S.® on the grain\*.



### **INSTRUCTIONS**

### Before breeding:

approx. 3 weeks before mating 3 consecutive days 1 sachet (5 g) or 2 measuring spoons ( $2\frac{1}{2}$  g per spoon) in 2 litres of water or mixed with 1 kg of grain\* for 40 pigeons.

### During breeding season on eggs:

approx. 6 consecutive days 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) in 2 litres of water or mixed with 1 kg of grain\* for 40 pigeons.

### During racing season after homing:

during 1½ day: 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) in 2 litres of water or mixed with 1 kg of grain\* for 40 pigeons.

B.S.® can also be used in combination with Belgasol®.

### Oral powder.

Available in 5 g sachets and in containers of 150 g and 300 g. For individual use available as a tablet: B.S.® Tablets, box of 50 tablets.



INDICATION: Trichomoniasis (canker), hexamitiasis, coccidiosis

We refer to page 45 for all symptoms of trichomoniasis.



# B.S.º (Better Digestion) – tablets

B.S.® is a combination of active substances already many years successfully used worldwide and has become a household name. B.S.® improves digestion and promotes the moult.

Preventive and curing against protozoal diseases such as coccidiosis, trichomoniasis (canker) and hexamitiasis. Also effective against crop and intestinal infections.



### INSTRUCTIONS

Preventive: 1 tablet per pigeon.

**Curative:** 1 tablet a day during 2 days. In severe cases: 1 tablet for 3 consecutive days. Ideal for the individual treatment of your pigeons.

Oral tablets.

Available in boxes of 50 tablets. B.S.® is also available as a powder.



INDICATION: Trichomoniasis (canker), hexamitiasis, coccidiosis

We refer to page 45 for all symptoms of trichomoniasis.



# Jonge Bliksem

### BE05-3224570

Owner: Dr. de Weerd Pigeons Son 'Bliksem' (Gaby Vandenabeele) Sire to among others:

Since to annong others.				
$3^{rd}$	St. Quentin	2.940 p.		
$6^{th}$	NPO Bourges	14.020 p.		
$16^{th}$	NPO Argenton	7.638 p.		
$32^{nd}$	NPO La Souterraine	5.576 p.		
$37^{th}$	St. Quentin	3.800 p.		
40 <sup>th</sup>	Morlincourt	3.856 p.		

# Belgaroni® 10%

Veterinary medicine for the treatment of trichomoniasis (canker), hexamitiasis and infections of the crop, among other things as a result of anaerobic bacteria.

### INSTRUCTIONS -

Approx. 1½ measuring spoon in 1 litre of water (or mixed with half a kg of grain\*) for 20 pigeons, 2 to 5 consecutive days (depending on the infection rate).

Oral powder.

Available in containers of 150 g.



# Belgaroni<sup>®</sup> 15%

Veterinary medicine for the treatment of trichomoniasis (canker), hexamitiasis and infections of the crop, among other things as a result of anaerobic bacteria.

### INSTRUCTIONS -

2 measuring spoons in 2 litres of water (or mixed with 1¼ kg of grain\*) for 50 pigeons, 2 to 5 days (depending on the infection rate).

Oral powder.

Available in containers of 150 g.





INDICATION: Trichomoniasis (canker), hexamitiasis, infections of the crop

We refer to page 45 for all symptoms of trichomoniasis.



# BelgaMagix® – tablets

Veterinary medicine for the treatment of trichomoniasis (canker), hexamitiasis and infections of the crop, both protozoan and anaerobic. Easy to administer, highly effective, without any negative side effects, no nausea.

BelgaMagix® Tablets can be administered even when basketing.

Ideal for individual treatment of your pigeons. If necessary, from the age of 1 week.

### **INSTRUCTIONS**

1 tablet per pigeon, if necessary to be repeated every 3 weeks. In severe cases 3 consecutive days 1 tablet, even during the racing season.



Oral tablet. Available in boxes of 50 tablets.



INDICATION: Trichomoniasis (canker), hexamitiasis, infections of the crop

We refer to page 45 for all symptoms of trichomoniasis.

# **OrniSpecial®**

Veterinary medicine for the treatment of the ornithosis complex with symptoms such as: dirty noses, difficult breathing (rattles), swollen eyelids, yawning, decreased desire to fly, sneezing and scratching of the head, darkening of the cere and swollen heads.

### INSTRUCTIONS —

1 sachet (5 g) or 2 measuring spoons ( $2\frac{1}{2}$  g per spoon) in 2 litres of water or mixed with 1 kg of grain\* for 40 pigeons, for 3 to 5 consecutive days.

**During the racing season:** a few days before basketing: 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) in 2 litres of water or mixed with 1 kg of grain\*.

In severe cases combine with W.N.® Red / W.N.® Black: 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) of OrniSpecial® + 5 g W.N.® Red / W.N.® Black mixed in 2 litres of water or mixed with 1 kg of grain\* for 3 to 5 consecutive days.



### INDICATION: Ornithosis complex

We refer to page 43 for all the symptoms and combination possibilities with the different by Belgica De Weerd registered veterinary medicines against ornithosis.



Oral powder. Available in sachets of 5 g and containers of 80 g. For individual use also available as tablet (OrniStop® tablets).



Ornithosis complex



### W.N.® Red

A conditioner which is effective against infections of the upper respiratory system (Chlamydia spp.) and of the intestines. Even after years of use, the effects of this veterinary medicine are fully preserved.

### INSTRUCTIONS —

1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) in 2 litres of water for 40 pigeons or mixed with 1 kg of grain\*, for 1 to 5 days.

Oral powder. Available in sachets of 5 g and containers of 150 g.



### W.N.® Black

A conditioner which is effective against infections of the upper respiratory system (Chlamydia spp.) and of the intestines. Even after years of use, the effects of this veterinary medicine are fully preserved.

### INSTRUCTIONS -

1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) in 2 litres of water for 40 pigeons or mixed with 1 kg of grain\*, for 1 to 5 days.

Oral powder. Available in sachets of 5 g and containers of 150 g.





INDICATION: Improvement of condition, infections of the upper respiratory system and intestines

# **BelgaTai**®

Veterinary medicine for the treatment of the ornithosis complex with symptoms such as: dirty noses, difficult breathing (rattles), swollen eyelids, yawning, decreased desire to fly, sneezing and scratching of the head, darkening of the cere and swollen heads.

### INSTRUCTIONS

1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) in 2 litres of water or mixed with 1 kg of grain\* for 40 pigeons, for 3 to 5 consecutive days. Can be administered until the day before basketing.

**During the racing season:** a few days before basketing: 1 measuring spoon (2½ g per spoon) in 1 litre of water or mixed with half a kg of grain\*.



Oral powder.

Available in sachets of 5 g or containers of 80 g.

# OrniStop® – tablets

Combi-preparation for the treatment of the ornithosis complex with symptoms such as: dirty noses, difficult breathing (rattles), swollen eyelids, yawning, decreased desire to fly, sneezing and scratching of the head, darkening of the cere and swollen heads.

Ideal for the individual treatment of your pigeons. Quick and very effective.

# - Driving Company of the Company of

Oral tablets. Available in boxes with 50 tablets.

### INSTRUCTIONS

1 tablet, twice a day for 3 to 5 days.

During the racing season:

1 tablet per pigeon, 1 day before basketing.



We refer to page 43 for all the symptoms and combination possibilities with the different by Belgica De Weerd registered veterinary medicines against ornithosis.



# A.S. Antislijm

An effective veterinary medicine in case of mucus in the throat caused by mucous membrane irritations of the upper respiratory tract and/or the crop mucus membrane.

### INSTRUCTIONS

1 sachet (5 g) in 2 litres of water for 40 pigeons or mixed with 1 kg of grain\*, for 3 consecutive days.

Oral powder. Available in sachets of 5 g.





INDICATION: Infections of the upper respiratory system and the crop mucus membrane

### Orni 3

Veterinary medicine effective in cases of symp-toms of ornithosis complex (infections of the respiratory system). Particularly suitable for young pigeons.

### INSTRUCTIONS

1 day before basketing 1 sachet (5 g) in 2 litres of water or mixed with 1 kg of grain\*. Can also be alternated with OrniSpecial® or W.N.® Red / W.N.® Black.

Oral powder. Available in sachets of 5 g.





We refer to page 43 for all the symptoms and combination possibilities with the different by Belgica De Weerd registered veterinary medicines against ornithosis.

### Ornisol

Veterinary medicine for the treatment of infections of the respiratory system (ornithosis complex) with specific clinical symptoms such as: dirty noses, difficult breathing (rattles), swollen eyelids, yawning, decreased desire to fly, sneezing and scratching of the head, darkening of the cere and swollen heads.

For old as well as young pigeons. Can also be used as a general conditioner when pigeons are not fit. Can also be administered a few days before basketing.



### **INSTRUCTIONS**

1 drop per pigeon directly in the beak, twice a day or 1 cap Ornisol in 1 litre of water, for 20 pigeons, for 1 to 4 days.

In case of severe ornithosis complex mix with BelgaTai®.

Oral solution. Available in bottles of 50 ml.



**INDICATION:** Ornithosis complex

We refer to page 43 for all the symptoms and combination possibilities with the different by Belgica De Weerd registered veterinary medicines against ornithosis.



# ParaStop® powder & Para Tablets

ParaStop® is used against paratyphoid (Salmonellosis), E-Coli and a-specific intestinal infections, caused by Gram-negative bacteria. It is a combination preparation that has proven its reliability for many years.

Can also be administered during the moulting and breeding period, even with newly-hatched squeakers.

### INSTRUCTIONS POWDER

1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) in 2 litres of water for 40 pigeons or mixed in 1 kg of grain\*, during 10 to 14 days. The infected pigeons must be treated extra with Para Tablets during the first days of the treatment: 1 tablet, twice a day, for 7 days.

Can also be used right after the racing season and before mating/breeding period, during approx. 8 days. Also often used a few weeks before the start of the racing season: for approx. 8 days. (An 8-day treatment will be sufficient in most cases.)

### INSTRUCTIONS TABLETS

For individual treatment of clinically sick pigeons: twice a day, 1 tablet per pigeon, for 7 to 10 days.



Oral powder. Available in sachets of 5 g and in containers of 150 g and 300 g.



Boxes containing 50 tablets.



INDICATION: Paratyphoid, E.coli, a-specific intestinal infections

We refer to page 42 for all symptoms of paratyphoid.

# **Parasol**

Parasol is effective against paratyphoid (Salmonellosis), E.coli and a-specific intestinal infections. Can also be used during the moulting and breeding period, even with newly-hatched squeakers.

### **INSTRUCTIONS**

4 ml in 1 litre of water for 20 pigeons during 7 to 14 days, depending on the severity of the infection.

Oral solution.

Available in bottles of 100 ml.



INDICATION: Paratyphoid, E.coli, a-specific intestinal infections

We refer to page 42 for all symptoms of paratyphoid.



Paratyphoid



**Paratyphoid** 



# 4 in 1 Mix

A combination remedy with quick effect in case of adeno-coli syndrome. Also used in case of chronic watery droppings due to former PMV (paramyxo) infections.

Symptoms, mostly with young pigeons: loss of condition, vomiting, green-yellow watery/slimy droppings, loss of weight and death.

4 in 1 Mix is the alternative for Belgamco®.



### INSTRUCTIONS

1 sachet (5 g) or 2 measuring spoons ( $2\frac{1}{2}$  g per spoon) in 2 litres of water for 40 pigeons or mixed with 1 kg of grain\*, for 5 to 7 days.

Can be given at any time, even during the breeding and moulting period and during the racing season.

### **ADVICE**

The effect is further enhanced in combination with Belgasol®: 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) of 4 in 1 Mix in 2 litres of water together with 15 ml Belgasol®.

Oral powder.

Available in sachets of 5 g and containers of 80 g.



INDICATION: Adeno-coli syndrome and other intestinal infections

We refer to page 44 for all the symptoms and combination possibilities with different by Belgica De Weerd registered veterinary medicines against adeno-coli syndrome.

# Belgamco® – powder & tablets

Combination remedy for the treatment of the adeno-coli syndrome in old and young pigeons (green-yellow watery/slimy droppings and vomiting, loss of weight, death) and other gastro-intestinal (E.coli) infections, enterococcus, streptococcus and staphylococcus infections especially for staphylococcus intermedius, one of the primary causes of ornithosis complex (sinusitis). Quick and effective working.

### INSTRUCTIONS POWDER

1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) in 2 litres of water or mixed with 1 kg of grain\* for 40 pigeons, 5 to 7 consecutive days. Belgamco® can be combined with Belgasol®. In more severe cases Belgamco® and Cobel® can be combined: 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) of Belgamco® + approx. 6 ml Cobel® in 2 litres of water for 40 pigeons for 5 to 7 days.

### INSTRUCTIONS TABLET

1 tablet, twice a day for 5 consecutive days.



Oral powder and tablets. Available in sachets of 5 q and containers of 80 q.



Boxes containing 50 tablets.



INDICATION: Adeno-coli syndrome and other intestinal infections

We refer to page 44 for all the symptoms and combination possibilities with different by Belgica De Weerd registered veterinary medicines against adeno-coli syndrome.



# Cobel®

Veterinary medicine for the treatment of adeno-coli syndrome and other gastro-intestinal infections such as Salmonellosis (paratyphoid), Klebsiella and Campylobacter. Symptoms: loss of condition, vomiting, green-yellow slimy droppings, losing weight and death.

### INSTRUCTIONS

3 to 4 ml in 1 litre of water for 5 to 7 days for 20 pigeons, depending on the severity of the symptoms.

In more severe cases to combine with Belg-amco®: approx. 6 ml Cobel® + 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) Belgamco® in 2 litres of water.



Oral solution.

Available in bottles of 100 ml.



INDICATION: Adeno-coli syndrome and other intestinal infections

We refer to page 44 for all the symptoms and combination possibilities with different by Belgica De Weerd registered veterinary medicines against adeno-coli syndrome.



# Schone Bliksem

### BE05-3224593

Owner: Dr. de Weerd Pigeons Son 'Bliksem' (Gaby Vandenabeele) Grandsire to among others:

<b>1</b> <sup>st</sup>	Provincial Blois	3.090 p.
<b>1</b> <sup>st</sup>	Provincial Bourges	2.045 p.
<b>1</b> <sup>st</sup>	Regional Orleans	998 p.
<b>1</b> <sup>st</sup>	Provincial Blois	547 p.
$35^{th}$	National Montauban	6.822 p.
51st	National Argenton	15.902 D.

# **BelgaFox**®

Veterinary medicine to be used in case of intestinal bacterial infection (E.coli, Salmonellosis and others) and symptoms of the ornithosis complex.

### **INSTRUCTIONS**

Depending on the severity of the symptoms: 2 to 3 ml in 1 litre of water for 3 to 10 days.

- In preparation for breeding: a few weeks before mating, use for 1 week.
- Often used 2 weeks before the racing season, for 5 days.
- Can be given during the racing season during a few days at the beginning of the week.




Oral solution.

Available in bottles of 100 ml.



INDICATION: E.coli, Salmonellosis, ornithosis complex



# **Lightning Bolt**

### BE12-6326698

Owner: Dr. de Weerd Pigeons Brother 'Bolt' (Leo Heremans)

1st National Ace Pigeon Short Distance Young Birds KBDB 2012

$2^{nd}$	Quiévrain	2.707 p.
$3^{rd}$	Quiévrain	1.881 p.
$7^{th}$	Quiévrain	2.507 p.
$8^{th}$	Quiévrain	1.701 p.
$12^{\text{th}}$	Quiévrain	2.131 p.
15 <sup>th</sup>	Quiévrain	1.914 p.



# BelgaWormac® – powder

Veterinary medicine for the treatment of worm infections caused by hair, round and tapeworms (Capillaria spp.en Ascaridia spp.). Pigeons can be fed normally. Fast and effective working, without any negative side effects, no nausea

Do not administer during the moult or to nestlings.

### **INSTRUCTIONS**

2 measuring spoons of 5 g (10 g) in 1 litre of water for 2 days. If necessary, to be repeated after 2 to 3 weeks.

### Do not administer on the grain!

To prevent the risk of reinfestation disinfect the loft: remove loft floor litter if any, moisten the loft with water and then carefully 'burnout' the loft



Oral powder. Available in containers of 6o g. For individual use also available as a tablet.



**INDICATION:** Worm infections

For more information about worms we refer to page 44.



Roundworm egg under microscope



Hairworm egg under microscope

# BelgaWormac® - tablets

Veterinary medicine for the treatment of worm infections caused by hair, round and tapeworms (Capillaria spp. and Ascaridia spp.). Ideal for the individual treatment of your pigeons. Fast and effective working, no negative side effects, no nausea.

Pigeons can be fed normally. BelgaWormac® tablets can even be administered in the week of basketing.

Do not administer during the moult or to nestlings.



### INSTRUCTIONS

1 tablet per pigeon, repeat the treatment after approx. 2 to 3 weeks. In case of severe infections it is recommended to treat the pigeons for 2 consecutive days with 1 tablet a day.

To prevent the risk of reinfestation disinfect the loft: remove loft floor litter if any, moisten the loft with water and then carefully 'burn-out' the loft.

Oral tablet.

Available in boxes containing 50 tablets.



For more information about worms we refer to page 44.



# BelgaCoxi® – tablets

Veterinary medicine for the treatment of coccidiosis contamination in pigeons caused by Eimeria labbeana, Eimeria columbarum and Eimeria columbae. Easy to administer, highly effective and without any negative side effects. Pigeons can be fed normally. Enhances the condition.

Coccidiosis mainly occurs in birds with low resistance and high infection pressure in a humid environment with litter on the floor. In severe cases the pigeons produce watery droppings and slowly lose weight.



### **INSTRUCTIONS**


1 tablet per pigeon, repeat after 2 weeks.

To prevent the risk of reinfestation disinfect the loft: remove loft floor litter if any, moisten the loft with water and then carefully 'burn-out' the loft

Oral tablet.

Available in boxes containing 50 tablets.





Coccidiosis under a microscope

# **Ectopar**

Against ectoparasites (lice and mites).

### **INSTRUCTIONS**

Once a month apply 1 drop to the skin on the back of the neck. In severe cases also apply to the skin on the tailbone. During the racing season apply at the beginning of the week.

Liquid for topical application. Available in bottles of 10 ml.













# BelgaDrops (eye and nose drops)

Disinfection of the eye mucus membranes, the lacrymal canal and mucus membranes of the nose in case of wet eyes and eye membranes (inflamed third eyelid).

### INSTRUCTIONS \_

**Preventive:** before basketing and after homing 1 drop in both eyes. Can also be dropped in the nose.

**Curative:** several times a day 1 drop in both eyes and nostrils, for 3 to 4 days.

Available in a bottle of 20 ml.





INDICATION: In case of problems of the eye and nose mucus membranes

# **Belgasol**®

Belgasol® is a unique combination of electrolytes, vitamins and trace elements on an energy carrying base and improves rehydration in the body at high speed. This is important during the racing season at higher temperatures and with difficult races!

Belgasol® is the best cure during the **breeding season** in case of sudden watery droppings when switching from crop milk to hard corn, experiencing more drinking, excessive grit and mineral picking as well as loss of weight.

The effect is better and faster than with conventional electrolytes.

### **INSTRUCTIONS**

**During breeding season:** for strong, well growing youngsters: approx. 25 ml in 1 litre of water for 5 consecutive days, starting as soon as the youngsters are about one week old.

### During racing season:

2 to 3 times per week 15 ml per 1 litre of water. On the day of homing, the dosage can be increased to 25 ml per litre of water. Belgasol can even be administered on the day of basketing.



Belgasol® can be used with all of our other products.

Available in bottles of 250, 500, 1000 and 5000 ml.



INDICATION: Fluid loss (dehydration) during breeding and racing season



Well reared youngsters with perfect droppings



# Belga Bion®

Belga Bion® is a high quality, easy dissolving, balanced multivitamin preparation (13 vitamins) based on energy carriers. It contains minerals and trace elements including iron and iodine.

Belga Bion® is administered for a rapid and effective treatment of vitamin deficiency in cases of stress and before and after the races. Can also be used after therapeutic treatments.



### INSTRUCTIONS

1 to 2 consecutive days 1 sachet (5 g) on 3 litres of water or on  $1\frac{1}{2}$  kg grain\*.

During the racing season to be administered once a week on Tuesday.

Available in sachets of 5 g.



INDICATION: In case of vitamin deficiency, after therapeutic treatments and in case of stress



# Jan

### BE15-6100701

Owner: Dr. de Weerd Pigeons Raced by: Nicole de Weerd 100% Stefaan Lambrechts

15<sup>th</sup> Nat. Ace Pigeon Short Middle Distance Young Birds KBDB 2015

<b>1</b> <sup>st</sup>	Souppes	1.185 p.
<b>1</b> <sup>st</sup>	Gien	499 p.
4 <sup>th</sup>	Souppes	471 p.
4 <sup>th</sup>	Quiévrain	173 p.
10 <sup>th</sup>	Noyon	526 p.
14 <sup>th</sup>	Quiévrain	418 p.
15 <sup>th</sup>	Noyon	342 p.

# Belga Super Fit

Successful results in top sport require reinforcement of the immune system of the homing pigeon. This is achieved with Belga Super Fit, a condition mix based on vitamins, electrolytes, trace-elements, amino-acids, dextrose and brewer's yeast.

Belga Super Fit can be combined with Belgarlic + Vit. E for improving the condition and an optimal moult.



### INSTRUCTIONS

Breeding period: starting from day of mating: moisten 1 to 1½ kg of grain with 15 ml Belgarlic + Vit E, then mix the grain with 1 measuring spoon (10 g) of Belga Super Fit, for 3 to 5 consecutive days.

Racing season: at the beginning of the week: moisten 1 to 1½ kg of grain with 15 ml Belgarlic + Vit E, then mix the grain with 1 measuring spoon (10 g) of Belga Super Fit, for 2 consecutive days.

Moulting/winter season: moisten 1 to 2 times a week on 1 kg of grain with 15 ml Belgasol® or 15 ml Belgarlic + Vit. E, then mix the grain with 1 measuring spoon (10 g) of Belga Super Fit.

Available in containers of 500 g.



**INDICATION:** To improve condition



# Bourges Bliksem

### NL08-3814025

Owner: Dr. de Weerd Pigeons

Grandson 'Bliksem' (Gaby Vandenabeele)

6th NPO Bourges 14.020 p. 16th NPO Argenton 7.638 p. 32<sup>nd</sup> NPO La Souterraine 5.576 p.



# Belga Biovit

Belga Biovit is ideal during the moulting and breeding period. It contains the most essential nutrients (including liquid minerals and trace elements) in the correct proportions for optimal growth of new feathers. Belga Biovit makes the feathers smooth, shiny and silky.

### INSTRUCTIONS

During the breeding and moulting period: 10 ml Belga Biovit in 2 litres of water, two to three times a week.

Available in bottles of 250 ml, 500 ml and 1000 ml.





**INDICATION:** Optimal growth of new feathers

# Essential Oil Belgica

Scientific compound oil with gamma oryzanol, lecithin, carnitine and creatine to increase endurance.

The added herbal extracts also have a positive effect on the balance of the intestinal microflora. Essential Oil is an extremely high quality and complete oil that also has a positive effect on the development of good plumage in the moult and the perfect growth of the youngsters during breeding.

### **INSTRUCTIONS**

Throughout the year, 2 to 3 times a week, 15 ml Essential Oil mixed with 1 kg of grain\*.



Available in bottles of 500 ml



INDICATIE: Scientific compound oil with gamma oryzanol, lecithin, carnitine and creatine

# Belgarlic + Vit. E

High quality garlic oil with garlic extract and essential fatty acids including a high level of vitamin E, improving the overall resistance after infectious diseases, and to help in stressful situations. For optimal breeding; positive results regarding fertility problems; stimulation of the digestive system; detoxification of the body and purification of the blood as well as acting as an antioxidant.

Belgarlic + Vit. E to be combined with Belga Super Fit for improvement of the condition and for an optimal moult.



### INSTRUCTIONS

Breeding period: to start from the day of mating: moisten 1 to 1½ kg of grain with 15 ml Belgarlic + Vit E., then mix the grain with 1 measuring spoon (10 g) of Belga Super Fit, for 3 to 5 consecutive days.

Racing season: at the beginning of the week: moisten 1 to 1½ kg of grain with 15 ml Belgarlic + Vit E., then mix the grain with 1 measuring spoon (10 g) of Belga Super Fit, for 2 consecutive days.

Moulting/racing season: moisten 1 to 2 times a week 1 kg of grain with 15 ml Belgasol® or 15 ml Belgarlic + Vit. E, then mix the grain with 1 measuring spoon (10 g) of Belga Super Fit.

### Shake well before use!

Available in bottles of 250 ml and 500 ml.



INDICATION: Garlic oil + Vit. E, antioxidant



# BelgaBac

A water soluble powder consisting of probiotics and electrolytes. To promote balanced intestinal flora and to improve electrolyte disturbances, recommended after races and other stress causes such as vaccinations. Also to be administered after therapeutic treatment.

### INSTRUCTIONS

2 measuring spoons (5 g in total) in 2 litres of water or on 1 kg of grain for 40 pigeons, for 2 days.



Available in a container of 100 g or in sachets of 5 g.



**INDICATION:** After therapeutic treatment

# BelgaSun (intestinal conditioner)

Powder consisting of hydrolyzed casein pep-tides and amino acids in combination with poly-phenols from hydrolyzable tannins. To improve a disturbed electrolyte balance and to promote a balanced intestinal flora and to increase the resistance against any bacteria and fungi. Recommended after races and other causes of stress such as vaccinations. Also to be administered after antibiotics.



### INSTRUCTIONS

2 measuring spoons (total 5 g) on 1 kg of grain for 40 pigeons, for 5 consecutive days.

Available in containers of 100 g.



INDICATION: Watery droppings in case of stress

### Vitaboli®

Vitamin pills based on vitamin B complex.

- Stimulates speed and endurance.
- Vitaboli can also be used in acute field poisonings.
- Has a positive effect on fertility disorders in older stock birds

### INSTRUCTIONS —

1 to 2 pills before basketing and after homing from major races.

In case of poisoning: 1 pill twice a day, for 4 days.

**For improvement of fertility:** 1 pill a day during the mating until the laying.



Available in containers of 100 pills.



INDICATION: Strengthening and improving condition

# Dynavite

Powerful liquid mixture of multivitamins. In case of a vitamin deficiency, before or after races and in stress situations.

### INSTRUCTIONS

1 ml in 1 litre of water.

Oral liquid. Available in bottles of 100 ml.



INDICATIE: Vitamin deficiency





### Para Control Boost

Para Control Boost is a new method to stabilize the intestinal flora, enabling the intestines to better eliminate pathogenic bacteria.

Para Control Boost promotes the equilibrium in the intestines and thereby supports the overall resistance and immunity of the pigeons.

### **INSTRUCTIONS**

**1** ml per pigeon to be given orally in the crop. If necessary repeat after three weeks.

Afterwards repeat once a year.

Attention: do not inject!

Shake well before use.

Store cool.



Available in bottles of 100 ml



### INDICATION: Stabilisation of the intestinal flora



# **Breeding program**

### BEFORE BREEDING

A few weeks before mating, it is recommended to check the droppings of your pigeons for the presence of worms, coccidiosis and paratyphoid and to treat them if necessary.

- in case of coccidiosis, trichomoniasis (canker) and hexamitiasis we advise *B.S.*®
- in case of worms we advise BelgaWormac®

 in case of paratyphoid and E.coli we advise ParaStop®

The veterinary medicines mentioned are safe, do not cause vomiting or feather damage. They are also available as tablets for the individual treatment.

### INSTRUCTIONS B.S.® (BETTER DIGESTION)

Approx. 3 weeks before mating you can give the pigeons B.S.® against trichomoniasis (canker): 1 sachet in 2 litres of water or on 1 kg of

grain\*, for 3 consecutive days. Also available in tablets (see page 9).

### INSTRUCTIONS BELGAWORMAC®

(Not during breeding with nestlings!)

2 measuring spoons (5 g per spoon) in 1 litre of water or 1 tablet per pigeon for 2 consecutive days. **Never administer** *BelgaWormac*® **on the grain!** After deworming: 1 to 2 days *Belga* 

Bion®: 1 sachet in 3 litres of water or on 1½ kg of grain\*. After deworming one is advised to disinfect the loft to prevent the risk of reinfestiation: remove loft floor litter if any, moisten the loft with water and then carefully 'burn-out' the loft.

### INSTRUCTIONS PARASTOP®

Preventive: from the end of the moulting season up to the breeding season to eliminate as many 'carriers' and 'excretes'. 1 sachet in 2 litres of water or on 1 kg of grain\* for approx. 8 days.

Curative: 1 sachet in 2 litres of water or on 1 kg of grain\* for 10 to 14 days. Also available in tablets (see page 17). Note: if your pigeons drink little (in autumn and winter) it is recommended to administer *ParaStop*® on the grain\*.



A **healthy** breeding season is the basis for future **champion pigeons** 





### DURING THE BREEDING SEASON

After laying eggs, administer B.S. of of 6 days: 1 sachet in 2 litres of water or 1 sachet on 1 kg of grain\*. This prevents against trichomoniasis (canker), infections of the crop mucus membrane, coccidiosis and hexamitiasis. B.S. promotes the moult.

Furthermore, once a week *Belga Bion*®: 1 sachet in 3 litres of water or 1 sachet on 1.5 kg of

grain\*. When the squeakers are 7 days old you can give them *Belgasol*®: 25 ml in 1 litre of water.

Belgasol® is an electrolyte combination with vitamins and amino acids, based on energy carriers. Belgasol® ensures perfect growth. Grit and minerals may still be given.

TIP: In case of fertility problems we advise to give your pigeons Belgarlic + Vit. E: twice a week 15 ml (1 spoon) on 1 to 1½ kg of grain. We recommend you to start 3 weeks before mating.



### Armani

### DV. 05031-96-723

Owner: Dr. de Weerd Pigeons Son 'Samurai' x 'Snoopy'

#### Samurai

$1^{st}$	Nat. Barcelona	7.767 p.
2 <sup>nd</sup>	Int. Barcelona	26.807 p.
49 <sup>th</sup>	Nat. Barcelona	10.574 p.
79 <sup>th</sup>	Int. Barcelona	33.146 p.

### Snoopy

Daughter 'Oude Kruk' x 'Jacky'
Grandmother 1<sup>st</sup> & 2<sup>nd</sup> Nat. Dax Germany
2001

## Racing program: Old birds racing season

### SPRINT AND MIDDLE DISTANCE

- 1 week before the start of the racing season: 1 sachet A.S. (Anti Slime) or OrniSpecial in 2 litres of water for 3 consecutive days.
- **1** day before basketing: 1 sachet W.N.® or OrniSpecial® (alternatively) in 2 litres of water.

### Immediately after homing:

Belgasol<sup>®</sup>: 25 ml in 1 litre of water, then 1½ day B.S.<sup>®</sup> (Better Digestion) 1 sachet in 2 litres of water or 1 sachet on 1 kg of grain\*. B.S.<sup>®</sup> can be mixed with Belgasol<sup>®</sup>.

### Tuesday or Wednesday:

1 sachet *Belga Bion*<sup>®</sup> in 3 litres of water or 1 sachet on 1½ kg of grain\*. You may find that after

five races the performances will decline. This is usually caused by an infection of the upper respiratory tract. The pigeons come home tired, lose weight, train worse, returning home later and drop a smaller amount of down feather. When this is the case, give your pigeons *Orni-Special*® or *BelgaTai*®: 1 measuring spoon in 1litre of water or 1 sachet in 2 litres of water for 2 to 3 days: on Monday, Tuesday and possibly on Wednesday.

#### LONG DISTANCE

### 1 week before basketing:

BelgaTai® or OrniSpecial®: 1 measuring spoon in 1 litre of water for 3 consecutive days.

Belgasol®: 15 ml in 1 litre of water for 2 days up to the day of basketing. For harder/longer flights on the day of basketing: 1 to 2 pills Vitaboli®.

Upon homing from a tough/heavy race again give 1 to 2 Vitaboli® pills. Immediately after homing: 25 ml of Belgasol® in 1 litre of water, followed by 2 days B.S.® (Better Digestion): 1 sachet in 2 litres of water or 1 sachet on 1 kg of grain\*. Note: once every three weeks, 3 days B.S.®: 1 sachet in 2 litres of water or 1 sachet with 1 kg of grain\*.

### **OVERNIGHT RACES**

The following system is focused on minimizing the moisture loss during the races and to basket the pigeons as clean as possible.

1 week before basketing: OrniSpecial® or BelgaTai® or Ornisol for 3 consecutive days. Then 2 days Belga Bion: 1 sachet per 3 litres of water or on 1½ kg of grain\* followed by two days Belgasol®: 15 ml in 1 litre of water; until and inclu-

ding the day of basketing.

For heavier races: 1 pill *Vitaboli*® before basketing and directly after homing.

Immediately after homing: 25 ml *Belgasol*® in 1 litre of water followed by 2 consecutive days *B.S.*® (Better Digestion): 1 sachet in 2 litres of water or on 1 kg of grain\*.



TIP: It is obligatory to have your old birds vaccinated against paramyxo once a year.



## Young birds racing season

The paramyxo vaccination should preferably be given when the youngsters are about 5 weeks old followed by a booster injection 4 to 6 weeks after the first vaccination. Squabs that are weaned get a *B.S.*® treatment for 7 days: 1 sachet in 2 litres of water or 1 sachet on 1 kg of grain \*.

About 10 days before the training flights they get another *B.S.* \* treatment for 5 consecutive days.

### During the racing season:

1 day before basketing: *Orni* 3 or *OrniSpecial*®: 1 sachet in 2 litres of water or 1 measuring spoon in 1 litre of water.

Instead of *Orni 3* or *OrniSpecial*® you can also successfully administer *BelgaTai*® and *Ornisol*. Directly after homing: *Belgasol*®: 15 ml in 1 litre of water, followed by *B.S.*® (Better Digestion) 1 sachet in 2 litres of water or on 1 kg of grain\* for 1½ day.



### Olympic Marathon Queen

### NL. 08-3828610

22<sup>th</sup>

Owner: Dr. de Weerd Pigeons

Nat. Bordeaux

Strain 'Samurai', 'Oude Kruk', 'Klamper'

1st Ace Pigeon Marathon Olympiad

Poznan 2011

7<sup>th</sup> Nat. Bordeaux 18.023 p.

7<sup>th</sup> Nat. Cahors 13.185 p.

13.242 p.

45<sup>th</sup> Nat. Montauban 18.668 p.

113<sup>th</sup> NPO Bergerac 4.884 p.

## **Moulting program**

Our moulting program offers the best requirements for optimal health and impeccable moult.

A perfect moult in the autumn is the foundation for optimal performance in the following season. In case of any suspicion of paratyphoid, leg or wing paralysis and twisted necks, it is recommended to treat with ParaStop®: 1 sachet in 2 litres of water or on 1 kg of grain\* for 10 to 14 days. When signaling this disease in your

area it is recommended to treat your loft with  $ParaStop^{\circ}$  for 8 to 10 days.

- At the beginning of the moulting period: 1 week 10 ml of Belga Biovit in 2 litres of water followed by 2 to 3 times a week Belga Biovit: 10 ml in 2 litres of water.
- Once a week Belga Bion®: 1 sachet in 3 litres of water or on 1½ kg of grain\*.
- Every 4 weeks: B.S. (Better Digestion): 1 sachet in 2 litres of water or on 1 kg of grain\* for 3 consecutive days.

## Winter program

Our winter program from December to February for all breeding and racing pigeons for a good moult and constant health during the winter months:

1st half of the month: 2 consecutive days W.N.® (White Noses), 1 sachet in 2 litres of water or 1 sachet on 1 kg of grain\*.

2nd half of the month: 2 consecutive days B.S.® (Better Digestion): 1 sachet in 2 litres of water or 1 sachet on 1 kg of grain\*.

1 day per week *Belga Bion*®: 1 sachet per 3 litres of water or 1 sachet on 1½ kg of grain\*

TIP: At the end of the season we advise you to have the droppings of your pigeons tested on the presence of worms, coccidiosis and paratyphoid. This examination should take place before the start of the moulting period.



## Blauwe Henk

### NL05-1491476

Owner: Dr. de Weerd Pigeons

Sire to among others:

B10-4140140 'El Campio Barca' (1st Nat. Ace Pigeon

Barcelona 2013-2015) raced by G. De Coninck

(Beveren)

Barcelona 2015 32<sup>nd</sup> Nat. 7.791 p. Barcelona 2014 115<sup>th</sup> Nat. 8.764 p.

Barcelona 2013 297<sup>th</sup> Nat. 10.542 p.

B10-4140160 'Niki' raced by

G. De Coninck (Beveren)

Barcelona 2015 113<sup>th</sup> Nat. 7.791 p.

Narbonne 2013  $37^{th}$  Nat. 5.215 p.

Bo8-4152545 'Pink Lady' raced by

G. De Coninck (Beveren)

Soustons (St-Vincent) 33rd Nat. 9.442 p.

2009

Barcelona 2011 146<sup>th</sup> Nat. 12.170 p.

B10-4140154 'Victoria' raced by

G. De Coninck (Beveren)

Barcelona 2013 169<sup>th</sup> Nat. 10.542 p.

Bo8-4152539 'Silke' raced by

G. De Coninck (Beveren)

Soustons (St-Vincent) 28<sup>th</sup> Nat. 9.442 p.


2009

B10-4140119 'Dempsey' raced by

G. De Coninck (Beveren)

Narbonne 2012 37<sup>th</sup> Nat. 6.583 p.

Perpignan 2013 317<sup>th</sup> Nat. 5.613 p.



<sup>\*</sup> Grain can be moistened with Belgasol® among other things.

## Important information about diseases

Sick pigeons have a reduced water and food intake so they should be treated separately, in such a way that they get the right dosage of the medicine.

## **Paratyphoid**

Information about the most important diseases in paratyphoid (salmonella)

### **SYMPTOMS**

- Loss of condition
- Losing weight
- Green, slimy droppings
- Limping (cripple) or flying awkwardly
- Swollen joints in wings and legs
- Infertile eggs
- Twisted necks
- Blindness in one eye
- Death

ParaStop® is a combination preparation against Salmonella (paratyphoid) and E.coli infections and other associated specific intestinal infections. The composition of ParaStop® prevents arising resistance as much as possible because it is a combination preparation. ParaStop® is

well tolerated during moult and can be administered with newly hatched squeakers. It is recommended to quarantaine the pigeons which are suspected of paratyphoid (salmonella) and to burn out or disinfect the lofts immediately. These measures are necessary in order to prevent further infection.

The following veterinary medicines can be used in case of paratyphoid:

ParaStop®, ParaTablets and Parasol.

Also treat the infected pigeons extra with *Para Tablets* during the first 7 days of the treatment. After the treatment: *Belqa Bion*® for for 2 days.



Salmonella test, positive, on nutrient medium



## **Ornithosis Complex**

Illness of the upper respiratory tract

### **SYMPTOMS**

- picking of feathers
- scratching head
- red throat
- yawning
- rattling
- inflamed third eyelid
- dirty noses
- blue flesh
- swollen headsone eve cold
- wet eyes
- snot
- (especially in young pigeons)

Once both old and young birds have started their training and racing program they are likely to develop an ornithosis problem, showing symptoms of swollen or puffed feathers around the ears, dry plumage, blue flesh and a holt on the moult. 60% of young birds will develop ornithosis problems resulting in an increase of losses. The pigeons will get home very tired after racing, when showing these symptoms pigeons must be directly treated with a combination of prescribed treatments and should be kept home in more severe cases for at least 1 week to avoid even bigger losses.

The following veterinary medicines can be administered in case of the ornithosis-complex: BelgaTai®, OrniSpecial®, Ornisol, Orni 3 and OrniStop® Tablets are very effective against problems with the upper respiratory system.

## Combination possibilities in case of more severe ornithosis:

OrniSpecial® + W.N.® Red / W.N.® Black: 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) OrniSpecial® + 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) W.N.® Red / W.N.® Black in 2 litres of water or on 1 kg of grain\* for 40 pigeons, for 3 to 5 days.

OrniSpecial® + Ornisol: 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) OrniSpecial® + 2 screw caps Ornisol in 2 litres of water, for 3 to 5 days.

OrniSpecial® + BelgaTai® (= BelgaWhite): 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) OrniSpecial® + 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) BelgaTai® in 2 litres of water, for 3 to 5 days.

BelgaTai $^{\circ}$  + Ornisol: 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) BelgaTai $^{\circ}$  + 2 screw caps Ornisol in 2 litres of water, for 3 to 5 days.



Latent ornithosis complex (blocked nasal passage)

### **Worms**

### **SYMPTOMS**

- Loss of condition
- Bad digestion
- Bad stools
- Loss of weight
- Disturbed fertility

BelgaWormac® is the best remedy against hair, round and tapeworms (Capillaria spp. and Ascaridia spp.). Pigeons can be fed normally during the treatment. Do not administer during the moult or to nestlings.

#### Instructions:

BelgaWormac® powder: 2 measuring spoons (5 g per spoon) in 1 litre of water for 2 days.

Do not administer over the grain!

BelgaWormac® tablets: 1 tablet per pigeon. Treatment to be repeated after 2 to 3 weeks. In case of more severe infestations it is recommended to treat the pigeons 2 consecutive days with 1 tablet a day.

In connection with reinfestation hygiene in the lofts is very important.

Preventive measures should be taken to prevent disease transmission. Sick and suspect birds should be put aside immediately and the loft must be disinfected as listed below.

To prevent the risk of reinfestation disinfect the loft: remove loft floor litter if any, moisten the loft with water and then carefully 'burn-out' the loft.

## Adeno-coli syndrome

A disease mainly occuring in young pigeons

### **SMPTOMS**

- not listening
- loss of appetite
- loss of weight
- vomiting
- brown green watery or slimy droppings
- death

The differential diagnosis (clinical picture which can partly look like) are, among others hexamitiasis, PMV (paramyxo) and streptococci infections or combinations of these diseases.

Very contagious from April to August. In the laboratory difficult to diagnose, however clinically easy to diagnose.

4 in 1 Mix, Belgamco® and Cobel® are effective against adeno-coli.

### Combination possibilities:

Belgamco<sup>®</sup> and Cobel<sup>®</sup> can be combined in more severe cases: 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) Belgamco<sup>®</sup> + approx. 6 ml Cobel<sup>®</sup> in 2 litres of water for 40 pigeons for 5 to 7 days.



## Trichomoniasis (Canker)

In many pigeons, both old and young, which are not regularly treated against canker (trichomoniasis) pathogens (trichomonads) can be latently present. This can present major problems as early as in the nest, with youngsters having yellow lumps stuck in the back of the throat.


In adult pigeons, in combination with the ornithosis-complex, it may lead to serious complications. Even if the pigeons have a 'natural' immunity against trichomoniasis, in autumn it can come to sudden large outbreaks of this disease, in some cases, even death as result.

### SYMPTOMS

- loss of condition
- bad digestion
- bad droppings
- crop mucosal inflammation
- complications with ornithosis
- yellow lumbs stuck in the back of the throat

The following veterinary medicines can be administered in case of trichomoniasis:

B.S.® powder, B.S.® tablets, BelgaMagix® tablets, Belgaroni® 10% and Belgaroni® 15%.



Trichomoniasis (Canker)

# Dr. de Weerd



## **DE JAN**

BE15-6100701

15th National Ace Pigeon Short Middle Distance Youngsters KBDB 2015

1st Souppes sur Loing	1.185 b.
1st Gien	499 b.
4th Souppes sur Loing	471 b.
4th Quievrain	173 b.
10th Noyon	526 b.

## NATIONAL BLIKSEM

BE15-6100783

25th Nat. Argenton	8.363 b.
39th Nat. Argenton	11.223 b.
98th Nat. (Z) Chateauroux	8.663 b.
100th Nat. (Z) Issoudun	3.582 b.
204th Nat. Argenton	12.449 b.





## NATIONAL ROCKET

BE15-6100732

38th Nat. (Z) Chateauroux	8.663 b.
50th Nat. Chateauroux	9.540 b.
245th Nat. (Z) Argenton	3.617 b.
265th Nat. (Z) Chateauroux	2.947 b.
378th Nat. (Z) Issoudun	3.582 b.

## NICOLE DE WEERD

2nd Nat. Champion Great Middle Distance Yrls. KBDB 2016 8th Nat. Champion Young Birds KBDB 2017



## **BOURGES RAKET**

BE07-6033153

3rd National Bourges 31.428 b.

Father 'Erins Tuition'
1st Hot Spot Car Race SAMDPR 3.856 b.

Grandfather 'Groovy', 1st Hot Spot Car Race SAMDPR 3.878 b.



## JONGE BLIKSEM

BE05-3224570

Father to a.o.:

1st Bourges 3.182 b. 6th NPO 14.020 b. 2nd Argenton 937 b. 16th NPO 7.638 b.

3rd St. Quentin 2.940 b.



## ACE BUFFEL NL07-145925

5th NU Perigueux 7.306 b. 9th NPO Bergerac 3.470 b. 14th NPO Orange 2.110 b. 15th NPO Bergerac 4.187 b. 20th NPO Cahors 6.542 b.



## DR. DE WEERD PIGEONS

PO Box 4607 4803 EP Breda T: +31 76 520 62 50 sales@drdeweerdpigeons.com www.drdeweerdpigeons.com

## **SINCE 1960**



### BELGICA DE WEERD B.V.

PO Box 4607 4803 EP Breda The Netherlands

T +31 76 560 02 22 F +31 76 565 35 70 info@belgicadeweerd.com www.belgicadeweerd.com

## Dr. de Weerd Pigeons



### DR. DE WEERD PIGEONS

PO Box 4607 4803 EP Breda The Netherlands

T +31 76 520 62 50 sales@drdeweerdpigeons.com www.drdeweerdpigeons.com